

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {C4533E7C-EFA9-47B5-8538-B3018CDF0D78}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.Address	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
AddressID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size; Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {65B5C4D1-E6E2-4A30-AE26-8C12B77FCC15}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	AddressID	
SourceTable:	Person_Address	
TextAlign:	General	
AddressLine1	Short Text	60
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Polish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID: {guid {0C06C4A9-3394-4592-9A7F-F50C66938CBF}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 SourceField: AddressLine1
 SourceTable: Person_Address
 TextAlign: General
 UnicodeCompression: False

AddressLine2 Short Text 60

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: Polish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {43831BC5-EBCD-46A1-82F2-C857B9C9006A}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ResultType: 0
 SourceField: AddressLine2
 SourceTable: Person_Address
 TextAlign: General
 UnicodeCompression: False

City Short Text 30

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: Polish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {0691464E-5839-4E7D-A0FE-E17FC029133C}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 4
 Required: True
 ResultType: 0
 SourceField: City
 SourceTable: Person_Address
 TextAlign: General

UnicodeCompression:	False		
StateProvinceID		Long Integer	4
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Fixed Size		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DecimalPlaces:	Auto		
DisplayControl:	Text Box		
GUID:	{guid {B55C7855-D0A8-4FE4-B37D-06D5F60C8C0A}}		
OrdinalPosition:	5		
Required:	True		
ResultType:	0		
SourceField:	StateProvinceID		
SourceTable:	Person_Address		
TextAlign:	General		
PostalCode		Short Text	15
AggregateType:	-1		
AllowZeroLength:	True		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	Polish		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		
CurrencyLCID:	0		
DataUpdatable:	False		
DisplayControl:	Text Box		
GUID:	{guid {16BC660D-D395-4B54-8CD4-727FA33C25C0}}		
IMEMode:	0		
IMESentenceMode:	3		
OrdinalPosition:	6		
Required:	True		
ResultType:	0		
SourceField:	PostalCode		
SourceTable:	Person_Address		
TextAlign:	General		
UnicodeCompression:	False		
SpatialLocation		OLE Object	-
AggregateType:	-1		
AllowZeroLength:	False		
AppendOnly:	False		
Attributes:	Variable Length		
CollatingOrder:	General		
ColumnHidden:	False		
ColumnOrder:	Default		
ColumnWidth:	Default		

AK_Address_rowguid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_Address_rowguid
Primary:	False
Required:	False
Unique:	True
Fields:	
rowguid	Ascending
IX_Address_AddressLine1_AddressLine2_C	5
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_Address_AddressLine1_AddressLine2_City_StateProvinceID_Postal
Primary:	False
Required:	False
Unique:	True
Fields:	
AddressLine1	Ascending
AddressLine2	Ascending
City	Ascending
StateProvinceID	Ascending
PostalCode	Ascending
IX_Address_StateProvinceID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_Address_StateProvinceID
Primary:	False
Required:	False
Unique:	False
Fields:	
StateProvinceID	Ascending
PK_Address_AddressID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_Address_AddressID
Primary:	True
Required:	True
Unique:	True
Fields:	
AddressID	Ascending

User Permissions

admin

Delete; Read Permissions; Set Permissions; Change Owner, Read Definition;

Write Definition; Read Data; Insert Data; Update Data; Delete Data

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {D2E876B6-0570-4244- BBAF-E08ECE934ADA}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.AddressType	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
AddressTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size; Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {7E970272-AE0F-4DFA-81E3-CD83E80F4F97}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	AddressTypeID	
SourceTable:	Person_AddressType	
TextAlign:	General	
Name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Polish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	

Name	Number of Fields
AK_AddressType_Name	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_AddressType_Name
Primary:	False
Required:	False
Unique:	True
Fields:	
Name	Ascending
AK_AddressType_rowguid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_AddressType_rowguid
Primary:	False
Required:	False
Unique:	True
Fields:	
rowguid	Ascending
PK_AddressType_AddressTypeID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_AddressType_AddressTypeID
Primary:	True
Required:	True
Unique:	True
Fields:	
AddressTypeID	Ascending

User Permissions

admin Delete; Read Permissions; Set Permissions; Change Owner, Read Definition;
 Write Definition; Read Data; Insert Data; Update Data; Delete Data

Group Permissions

Admins Delete; Read Permissions; Set Permissions; Change Owner, Read Definition;
 Write Definition; Read Data; Insert Data; Update Data; Delete Data

Users Delete; Read Permissions; Set Permissions; Change Owner, Read Definition;
 Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {7FC05F1D-76C8-4641-852B-6BECEEE0786F}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.BusinessEntity	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
BusinessEntityID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size; Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {A7056A93-2D63-4839-994B-F15F0E710729}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	BusinessEntityID	
SourceTable:	Person_BusinessEntity	
TextAlign:	General	
rowguid	Replication ID	16
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID: {guid {20D6B2D5-533A-4AB8-9C84-66D4A40B2659}}
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 SourceField: rowguid
 SourceTable: Person_BusinessEntity
 TextAlign: General

ModifiedDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 GUID: {guid {10F77995-2435-4464-AA15-A7D7ABAE07B4}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: True
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: ModifiedDate
 SourceTable: Person_BusinessEntity
 TextAlign: General

Table Indexes

Name	Number of Fields
AK_BusinessEntity_rowguid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_BusinessEntity_rowguid
Primary:	False
Required:	False
Unique:	True
Fields:	
rowguid	Ascending
PK_BusinessEntity_BusinessEntityID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_BusinessEntity_BusinessEntityID
Primary:	True
Required:	True
Unique:	True

Fields:
BusinessEntityID Ascending

User Permissions

admin	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
-------	---

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {2489A0AA-ADF9-433F-8FD7-47BC242DEC62}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.BusinessEntityAddress	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
BusinessEntityID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {F07A2821-A61C-4299-A303-B1FD2B27ACB6}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	BusinessEntityID	
SourceTable:	Person_BusinessEntityAddress	
TextAlign:	General	
AddressID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	

	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {42FD8CAD-E4EA-4FC0-8936-8C6C93DE921F}}		
	OrdinalPosition:	2		
	Required:	True		
	ResultType:	0		
	SourceField:	AddressID		
	SourceTable:	Person_BusinessEntityAddress		
	TextAlign:	General		
AddressTypeID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {9D062A48-C4C2-4620-BE89-3359E29A96CC}}		
	OrdinalPosition:	3		
	Required:	True		
	ResultType:	0		
	SourceField:	AddressTypeID		
	SourceTable:	Person_BusinessEntityAddress		
	TextAlign:	General		
rowguid			Replication ID	16
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {30C1B015-51BD-4627-A054-457F5A33D5A0}}		
	OrdinalPosition:	4		
	Required:	True		
	ResultType:	0		
	SourceField:	rowguid		
	SourceTable:	Person_BusinessEntityAddress		
	TextAlign:	General		
ModifiedDate			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {7826333C-5F1A-472F-B6C9-2C1AA88DBFD4}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	True
ResultType:	0
ShowDatePicker:	For dates
SourceField:	ModifiedDate
SourceTable:	Person_BusinessEntityAddress
TextAlign:	General

Table Indexes

Name	Number of Fields
AK_BusinessEntityAddress_rowguid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_BusinessEntityAddress_rowguid
Primary:	False
Required:	False
Unique:	True
Fields:	
rowguid	Ascending
IX_BusinessEntityAddress_AddressID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_BusinessEntityAddress_AddressID
Primary:	False
Required:	False
Unique:	False
Fields:	
AddressID	Ascending
IX_BusinessEntityAddress_AddressTypeID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_BusinessEntityAddress_AddressTypeID
Primary:	False
Required:	False
Unique:	False

Fields:	
AddressTypeID	Ascending
PK_BusinessEntityAddress_BusinessEntityI	3
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_BusinessEntityAddress_BusinessEntityID_AddressID_AddressTypeI
Primary:	True
Required:	True
Unique:	True
Fields:	
BusinessEntityID	Ascending
AddressID	Ascending
AddressTypeID	Ascending

User Permissions

admin	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
-------	---

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {8E7411AF-A038-4B42-A58E-436F16829062}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.BusinessEntityContact	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
BusinessEntityID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {7760C910-0D04-4E22-A004-45B0C82E14DD}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	BusinessEntityID	
SourceTable:	Person_BusinessEntityContact	
TextAlign:	General	
PersonID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	

	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {7EDC1858-DD65-43DD-94B6-4D81FD0495F1}}		
	OrdinalPosition:	2		
	Required:	True		
	ResultType:	0		
	SourceField:	PersonID		
	SourceTable:	Person_BusinessEntityContact		
	TextAlign:	General		
ContactTypeID			Long Integer	4
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Fixed Size		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DecimalPlaces:	Auto		
	DisplayControl:	Text Box		
	GUID:	{guid {87ECE11F-8AAF-4B4A-975E-958C994A0679}}		
	OrdinalPosition:	3		
	Required:	True		
	ResultType:	0		
	SourceField:	ContactTypeID		
	SourceTable:	Person_BusinessEntityContact		
	TextAlign:	General		
rowguid			Replication ID	16
	AggregateType:	-1		
	AllowZeroLength:	False		
	AppendOnly:	False		
	Attributes:	Variable Length		
	CollatingOrder:	General		
	ColumnHidden:	False		
	ColumnOrder:	Default		
	ColumnWidth:	Default		
	CurrencyLCID:	0		
	DataUpdatable:	False		
	DisplayControl:	Text Box		
	GUID:	{guid {61598B14-2F36-40AE-955C-840AAE8978B4}}		
	OrdinalPosition:	4		
	Required:	True		
	ResultType:	0		
	SourceField:	rowguid		
	SourceTable:	Person_BusinessEntityContact		
	TextAlign:	General		
ModifiedDate			Date With Time	8
	AggregateType:	-1		
	AllowZeroLength:	False		

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {AD36784A-9DF3-4785-A762-CB94ACCA9296}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	True
ResultType:	0
ShowDatePicker:	For dates
SourceField:	ModifiedDate
SourceTable:	Person_BusinessEntityContact
TextAlign:	General

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
AK_BusinessEntityContact_rowguid	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_BusinessEntityContact_rowguid
Primary:	False
Required:	False
Unique:	True
Fields:	
rowguid	Ascending
IX_BusinessEntityContact_ContactTypeID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_BusinessEntityContact_ContactTypeID
Primary:	False
Required:	False
Unique:	False
Fields:	
ContactTypeID	Ascending
IX_BusinessEntityContact_PersonID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_BusinessEntityContact_PersonID
Primary:	False
Required:	False
Unique:	False

Fields:	
PersonID	Ascending
PK_BusinessEntityContact_BusinessEntityI	3
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_BusinessEntityContact_BusinessEntityID_PersonID_ContactTypeID
Primary:	True
Required:	True
Unique:	True
Fields:	
BusinessEntityID	Ascending
PersonID	Ascending
ContactTypeID	Ascending

User Permissions

admin	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
-------	---

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {9F2918BD-8F8D-43BC- B397-F24A3C91846E}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.ContactType	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
ContactTypeID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size; Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {623ECD92-C8C1-40AE-942E-1C385E2F5057}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	ContactTypeID	
SourceTable:	Person_ContactType	
TextAlign:	General	
Name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Polish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	

GUID: {guid {59B7264A-A934-4A72-B23D-102331CC4A82}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 SourceField: Name
 SourceTable: Person_ContactType
 TextAlign: General
 UnicodeCompression: False

ModifiedDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Fixed Size
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 GUID: {guid {AD5C0C50-F6BE-47AB-9B49-4FA802EBDF56}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: True
 ResultType: 0
 ShowDatePicker: For dates
 SourceField: ModifiedDate
 SourceTable: Person_ContactType
 TextAlign: General

Table Indexes

Name	Number of Fields
AK_ContactType_Name	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_ContactType_Name
Primary:	False
Required:	False
Unique:	True
Fields:	
Name	Ascending
PK_ContactType_ContactTypeID	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_ContactType_ContactTypeID
Primary:	True

Required:	True
Unique:	True
Fields:	
ContactTypeID	Ascending

User Permissions

admin	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
-------	---

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {F8701D9B-C377-4F26- A2E2-E40F9EFF9233}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.CountryRegion	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
CountryRegionCode	Short Text	3
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Polish	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DisplayControl:	Text Box	
GUID:	{guid {2A901135-2700-4393-AF66-1A1911AEB58}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	CountryRegionCode	
SourceTable:	Person_CountryRegion	
TextAlign:	General	
UnicodeCompression:	False	
Name	Short Text	50
AggregateType:	-1	
AllowZeroLength:	True	
AppendOnly:	False	
Attributes:	Variable Length	
CollatingOrder:	Polish	
ColumnHidden:	False	
ColumnOrder:	Default	

ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {C2EAFCA8-7AB4-42CE-AB7B-422BE9B9714B}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 SourceField: Name
 SourceTable: Person_CountryRegion
 TextAlign: General
 UnicodeCompression: False

ModifiedDate	Date With Time	8
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
GUID:	{guid {FB4E47BB-5EFA-4CC7-B709-909B4F480402}}	
IMEMode:	0	
IMESentenceMode:	3	
OrdinalPosition:	3	
Required:	True	
ResultType:	0	
ShowDatePicker:	For dates	
SourceField:	ModifiedDate	
SourceTable:	Person_CountryRegion	
TextAlign:	General	

Table Indexes

<u>Name</u>	<u>Number of Fields</u>
AK_CountryRegion_Name	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	AK_CountryRegion_Name
Primary:	False
Required:	False
Unique:	True
Fields:	
Name	Ascending
PK_CountryRegion_CountryRegionCode	1
Clustered:	False
DistinctCount:	0

Foreign:	False
IgnoreNulls:	False
Name:	PK_CountryRegion_CountryRegionCode
Primary:	True
Required:	True
Unique:	True
Fields:	
CountryRegionCode	Ascending

User Permissions

admin	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
-------	---

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data

Properties

AlternateBackShade:	100	AlternateBackThemeColorInd	-1
AlternateBackTint:	100	Attributes:	Linked ODBC
BackShade:	100	BackTint:	100
Connect:	ODBC;DSN=lsrep17;APP=Micr DatasheetForeThemeColorIn -1 osoft Office 2016;DATABASE=AdventureW orks		
DatasheetGridlinesThemeCol	-1	DateCreated:	29.06.2018 11:49:09
DefaultView:	2	DisplayViewsOnSharePointSit	1
FilterOnLoad:	False	GUID:	{guid {54D9F76E-0D63-4951- A592-287B6A5455EF}}
HideNewField:	False	LastUpdated:	29.06.2018 11:49:25
NameMap:	Long binary data	OrderByOn:	False
OrderByOnLoad:	True	Orientation:	Left-to-Right
ReadOnlyWhenDisconnected	False	RecordCount:	-1
SourceTableName:	Person.EmailAddress	ThemeFontIndex:	-1
TotalsRow:	False	Updatable:	False

Columns

Name	Type	Size
BusinessEntityID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	
DataUpdatable:	False	
DecimalPlaces:	Auto	
DisplayControl:	Text Box	
GUID:	{guid {00570D39-6C11-4A60-B60B-BD8B5D47F7DF}}	
OrdinalPosition:	1	
Required:	True	
ResultType:	0	
SourceField:	BusinessEntityID	
SourceTable:	Person_EmailAddress	
TextAlign:	General	
EmailAddressID	Long Integer	4
AggregateType:	-1	
AllowZeroLength:	False	
AppendOnly:	False	
Attributes:	Fixed Size; Auto-Increment	
CollatingOrder:	General	
ColumnHidden:	False	
ColumnOrder:	Default	
ColumnWidth:	Default	
CurrencyLCID:	0	

DataUpdatable: False
 GUID: {guid {74E1E830-BBF3-4E93-A5A8-DE4F0EC8E498}}
 OrdinalPosition: 2
 Required: True
 ResultType: 0
 SourceField: EmailAddressID
 SourceTable: Person_EmailAddress
 TextAlign: General

EmailAddress Short Text 50

AggregateType: -1
 AllowZeroLength: True
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: Polish
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {1300DACA-D20D-4E12-AB8B-BC0CD9CA8BBB}}
 IMEMode: 0
 IMESentenceMode: 3
 OrdinalPosition: 3
 Required: False
 ResultType: 0
 SourceField: EmailAddress
 SourceTable: Person_EmailAddress
 TextAlign: General
 UnicodeCompression: False

rowguid Replication ID 16

AggregateType: -1
 AllowZeroLength: False
 AppendOnly: False
 Attributes: Variable Length
 CollatingOrder: General
 ColumnHidden: False
 ColumnOrder: Default
 ColumnWidth: Default
 CurrencyLCID: 0
 DataUpdatable: False
 DisplayControl: Text Box
 GUID: {guid {85774BF7-6DF7-44DE-AF8A-0A70C098DBB3}}
 OrdinalPosition: 4
 Required: True
 ResultType: 0
 SourceField: rowguid
 SourceTable: Person_EmailAddress
 TextAlign: General

ModifiedDate Date With Time 8

AggregateType: -1
 AllowZeroLength: False

AppendOnly:	False
Attributes:	Fixed Size
CollatingOrder:	General
ColumnHidden:	False
ColumnOrder:	Default
ColumnWidth:	Default
CurrencyLCID:	0
DataUpdatable:	False
GUID:	{guid {714393B5-9323-47A5-B201-127F53D57937}}
IMEMode:	0
IMESentenceMode:	3
OrdinalPosition:	5
Required:	True
ResultType:	0
ShowDatePicker:	For dates
SourceField:	ModifiedDate
SourceTable:	Person_EmailAddress
TextAlign:	General

Table Indexes

Name	Number of Fields
IX_EmailAddress_EmailAddress	1
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	IX_EmailAddress_EmailAddress
Primary:	False
Required:	False
Unique:	False
Fields:	
EmailAddress	Ascending
PK_EmailAddress_BusinessEntityID_EmailA	2
Clustered:	False
DistinctCount:	0
Foreign:	False
IgnoreNulls:	False
Name:	PK_EmailAddress_BusinessEntityID_EmailAddressID
Primary:	True
Required:	True
Unique:	True
Fields:	
BusinessEntityID	Ascending
EmailAddressID	Ascending

User Permissions

admin	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
-------	--

Group Permissions

Admins	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data
Users	Delete; Read Permissions; Set Permissions; Change Owner, Read Definition; Write Definition; Read Data; Insert Data; Update Data; Delete Data